Forum: CentOS 6 - Networking Support
Topic: Network routing!
Subject: Re: Network routing!
Posted by: pschaff
Posted on: 2012/3/28 18:32:04

Quote:

rot3r wrote:
...
== BEGIN uname -rmi ==
2.6.32-71.29.1.el6.x86_64 x86_64 x86_64
== END uname -rmi ==
Somewhat OT: Thats a very old CentOS-6.0 series kernel. Apparently you either have not updated everything, or are still running an obsolete kernel. A "yum update" and reboot are recommended.

Quote:

...

== BEGIN route -n ==
Kernel IP routing table

Destination	Gateway	Genmask	Flags	Metric	Ref	Use	Iface
188.40.134.193	0.0.0.0	255.255.255.255	UH	0	0	0	eth0
188.40.134.193	0.0.0.0	255.255.255.255	UH	0	0	0	br0
192.168.122.0	0.0.0.0	255.255.255.0	U	0	0	0	virbr0
169.254.0.0	0.0.0.0	255.255.0.0	U	1002	0	0	eth0
169.254.0.0	0.0.0.0	255.255.0.0	U	1003	0	0	br0
0.0.0.0	188.40.134.193	0.0.0.0	UG	0	0	0	eth0

== END route -n ==
I am admittedly out of my depth here as I don't use KVM or bridges, but I believe that the IP address should be assigned to br0 and not to eth0. Hopefully someone with more knowledge in this domain can comment. Some of the upstream docs and information may be helpful.

Quote:

...
as a web designer:it's best practice to put hover tooltip for your button in your editor....
[redacted]

OT: If that's in reference to the CentOS web site - there are lots of things that fall short of best practices and modern infrastructure. Hopefully one day we'll get get Website Ver2 AKA "Website 2.0", but we've been waiting for years already.